

---

**easycore**

**Mar 30, 2020**



---

## Contents

---

<b>1</b>	<b>Tutorials</b>	<b>1</b>
1.1	Installation . . . . .	1
1.2	Light weight config tools . . . . .	2
1.3	Multiprocessing parallel acceleration tools . . . . .	3
1.4	Register Mechanism . . . . .	9
1.5	Path manage tools . . . . .	10
<b>2</b>	<b>API Documentation</b>	<b>13</b>
2.1	easycore.common . . . . .	13
2.2	easycore.torch . . . . .	29
<b>3</b>	<b>Indices and tables</b>	<b>35</b>
	<b>Python Module Index</b>	<b>37</b>
	<b>Index</b>	<b>39</b>



## 1.1 Installation

### 1.1.1 Requirements

- Python 3.6
- PyTorch (optional, for `easycore.torch` package)

### 1.1.2 Install

#### Install from PyPI

```
pip install easycore
```

#### Install from GitHub

```
pip install 'git+https://github.com/YuxinZhaozyx/easycore.git'
```

#### Install from a local clone

```
git clone https://github.com/YuxinZhaozyx/easycore.git
cd easycore
pip install -e .
```

## 1.2 Light weight config tools

**easycore** make it easy to load config from local yaml file, save config and control the config in runtime.

### 1.2.1 Load config from local yaml file

An example of yaml file is shown bellow:

```
MODEL:
  IN_FEATRES: ["res3", "res4", "res5"]
  INPUT_SIZE: (224, 224)
  NUM_CLASSES: 100
NAME: YuxinZhaozyx
```

You can load the yaml file in the follow way:

```
from easycore.common.config import CfgNode as CN

cfg = CN.open('example.yaml')

# or
with open('example.yaml', 'r', encoding='utf-8') as f:
    cfg = CN.open(f)
```

### 1.2.2 Get an empty config

```
cfg = CN()
```

### 1.2.3 Get a config from from python dict

```
init_dict = {
    "MODEL": {
        "IN_FEATURES": ["res3", "res4", "res5"],
        "INPUT_SIZE": (224, 224),
        "NUM_CLASSES": 100,
    },
    "NAME": "YuxinZhaozyx",
}
cfg = CN(init_dict)
```

### 1.2.4 Use config

```
# get value from config
# the config has been automatically transform into python data type.
in_features = cfg.MODEL.IN_FEATURES    # list
input_size = cfg.MODEL.INPUT_SIZE      # tuple
num_classes = cfg.MODEL.NUM_CLASSES     # int
name = cfg.NAME                        # str
```

(continues on next page)

(continued from previous page)

```
# add new value to config
cfg.LICENSE = 'MIT'

# add a new CfgNode to config
cfg.SOLVER = CN()
cfg.SOLVER.LEARNING_RATE = 0.001
cfg.SOLVER.BATCH_SIZE = 128
```

## 1.2.5 Merge two config

```
cfg_a = CN()
cfg_a.key1 = 1
cfg_a.key2 = 2

cfg_b = CN()
cfg_b.key2 = 3
cfg_c.key3 = 4

# merge two config
cfg_a.merge(cfg_b)  # now cfg_a.key2 is 3
```

## 1.2.6 Copy a config

```
cfg_copy = cfg.copy()  # get a deepcopy of cfg
```

## 1.2.7 Save config to yaml file

```
cfg.save("example-save.yaml")

# or
with open("example-save.yaml", 'w', encoding='utf-8') as f:
    cfg.save(f)
```

## 1.2.8 API Documentation

- `easycore.common.config`

# 1.3 Multiprocessing parallel acceleration tools

**easycore** make it easy to parallel your tasks in cpus and gpus.

## 1.3.1 API

You can write a parallel runner by inheriting class `UnorderedRunner` or `OrderedRunner` and overriding following 6 static methods.

```
@staticmethod
def producer_init(device, cfg):
    """
    function for producer initialization.

    Args:
        device (str): device for the this process.
        cfg (easycore.common.config.CfgNode): config of this process, you can use it_
        ↳to transfer data
            to `producer_work` and `producer_end` function.
    """
    pass

@staticmethod
def producer_work(device, cfg, data):
    """
    function specify how the producer processes the data.

    Args:
        device (str): device for this process.
        cfg (easycore.common.config.CfgNode): config of this process, you can use it_
        ↳to get data from
            `producer_init` function and transfer data to the next `producer_work`_
        ↳and `producer_end`
            function.
        data (Any): data get from input of `__call__` method.

    Returns:
        Any: processed data
    """
    return data

@staticmethod
def producer_end(device, cfg):
    """
    function after finishing all of its task and before close the process.

    Args:
        device (str): device for this process.
        cfg (easycore.common.config.CfgNode): config of this process, you can use it_
        ↳to get data
            from `producer_init` and `producer_work` function.
    """
    pass

@staticmethod
def consumer_init(cfg):
    """
    function for consumer initialization.

    Args:
        cfg (easycore.common.config.CfgNode): config of this process, you can use it_
        ↳to transfer data
            to `consumer_work` and `consumer_end` function.
    """
    pass
```

(continues on next page)



(continued from previous page)

```

@staticmethod
def consumer_work(cfg, data):
    """
    function specify how the consumer processes the data from producers.

    Args:
        cfg (easycore.common.config.CfgNode): config of this process, you can use it_
        to get data from
        `consumer_init` function and transfer data to the next `consumer_work`_
        and `consumer_end`
        function.
    """
    pass

@staticmethod
def consumer_end(cfg):
    """
    function after receiving all data from producers.

    Args:
        cfg (easycore.common.config.CfgNode): config of this process, you can use it_
        to get data from
        `consumer_work` function.

    Returns:
        Any: processed data
    """
    return None

```

### 1.3.2 Example 1: Sum of squares

It can be implemented with a simple way:

```

data_list = list(range(100))
result = sum([data * data for data in data_list])

# or more simple
result = 0
for data in data_list:
    square = data * data
    result += square

```

We calculate square of each element of the list, and then sum they together. In this case, it can be divided into two tasks. We assign this two tasks to producer and consumer respectively.

```

from easycore.common.config import CfgNode
from easycore.common.parallel import UnorderedRunner

class Runner(UnorderedRunner):
    @staticmethod
    def producer_work(device, cfg, data):
        return data * data # calculate square of data

    @staticmethod
    def consumer_init(cfg):

```

(continues on next page)

(continued from previous page)

```

        cfg.sum = 0 # init a sum variable with 0, you can use cfg to transfer data

    @staticmethod
    def consumer_work(cfg, data):
        cfg.sum += data # add the square to the sum variable

    @staticmethod
    def consumer_end(cfg):
        return cfg.sum # return the result you need

if __name__ == '__main__':
    runner = Runner(devices=3) # if you specify `device with a integer`, it will use _
    ↪ cpus.
    # You can specify a list of str instead, such as:
    # runner = Runner(devices=["cpu", "cpu", "cpu"])

    data_list = list(range(100)) # prepare data, it must be iterable
    result = runner(data_list) # call the runner
    print(result)

    runner.close() # close the runner and shutdown all processes it opens.

```

### 1.3.3 Example 2: An neural network predictor

First we define an neural network in `network.py`:

```

import torch
import torch.nn as nn
import torch.nn.functional as F

class Net(nn.Module):
    def __init__(self):
        super(Net, self).__init__()
        self.fc = nn.Linear(1, 3)

    def forward(self, x):
        x = self.fc(x)
        x = F.relu(x)
        return x

```

The network can be paralleled to 4 gpus in the following way:

```

from easycore.common.config import CfgNode
from easycore.common.parallel import OrderedRunner
from network import Net
import torch

class Predictor(OrderedRunner):
    @staticmethod
    def producer_init(device, cfg):
        cfg.model = Net() # init the producer with a model
        cfg.model.to(device) # transfer the model to certain device

    @staticmethod
    def producer_work(device, cfg, data):

```

(continues on next page)

(continued from previous page)

```

    with torch.no_grad():
        data = torch.Tensor([[data]]) # preprocess data
        data = data.to(device) # transfer data to certain device
        output = cfg.model(data) # predict
        output = output.cpu() # transfer result to cpu
    return output

    @staticmethod
    def producer_end(device, cfg):
        del cfg.model # delete the model when all data has been predicted.

    @staticmethod
    def consumer_init(cfg):
        cfg.data_list = [] # prepare a list to store all data from producers.

    @staticmethod
    def consumer_work(cfg, data):
        cfg.data_list.append(data) # store data from producers.

    @staticmethod
    def consumer_end(cfg):
        data = torch.cat(cfg.data_list, dim=0) # postprocess data.
        return data

if __name__ == '__main__':
    predictor = Predictor(devices=["cuda:0", "cuda:1", "cuda:2", "cuda:3"]) # init a
    ↪parallel predictor

    data_list = list(range(100)) # prepare data
    result = predictor(data_list) # predict
    print(result.shape)

    predictor.close() # close the predictor when you no longer need it.

```

### 1.3.4 Example 3: Process data with batch

You can use a simple generator or pytorch dataloader to generate batch data.

```

from easycore.common.config import CfgNode
from easycore.torch.parallel import OrderedRunner
from network import Net
import torch

def batch_generator(data_list, batch_size):
    for i in range(0, len(data_list), batch_size):
        data_batch = data_list[i : i+batch_size]
        yield data_batch

class Predictor(OrderedRunner):

    @staticmethod
    def producer_init(device, cfg):
        cfg.model = Net()
        cfg.model.to(device)

```

(continues on next page)

(continued from previous page)

```

@staticmethod
def producer_work(device, cfg, data):
    with torch.no_grad():
        data = torch.Tensor(data).view(-1,1)
        data = data.to(device)
        output = cfg.model(data)
        output = output.cpu()
    return output

@staticmethod
def producer_end(device, cfg):
    del cfg.model

@staticmethod
def consumer_init(cfg):
    cfg.data_list = []

@staticmethod
def consumer_work(cfg, data):
    cfg.data_list.append(data)

@staticmethod
def consumer_end(cfg):
    data = torch.cat(cfg.data_list, dim=0)
    return data

if __name__ == '__main__':
    predictor = Redictor(devices=["cuda:0", "cuda:1"])

    data_list = list(range(100))
    result = predictor(batch_generator(data_list, batch_size=10))
    print(result.shape)

    predictor.close()

```

Here, we replace `easycore.common.parallel` with `easycore.torch.parallel`. `easycore.torch.parallel` has the same API with `easycore.common.parallel` but use `torch.multiprocessing` library instead of `multiprocessing` library.

### 1.3.5 Example 4: Transfer outside parameters into Runner

You can transfer parameters into runner through `cfg` parameter. `cfg` is a `easycore.common.config.CfgNode`. See tutorial “[Light weight config tools](#)” for how to use it.

We use “sum of power” as an example:

```

from easycore.common.config import CfgNode as CN
from easycore.common.parallel import UnorderedRunner

class Runner(UnorderedRunner):
    @staticmethod
    def producer_work(device, cfg, data):
        return data ** cfg.exponent # calculate power of data with outside parameter
    ↪ "exponent".

```

(continues on next page)

(continued from previous page)

```

@staticmethod
def consumer_init(cfg):
    cfg.sum = 0 # init a sum variable with 0, you can use cfg to transfer data

@staticmethod
def consumer_work(cfg, data):
    cfg.sum += data # add the square to the sum variable

@staticmethod
def consumer_end(cfg):
    return cfg.sum # return the result you need

if __name__ == '__main__':
    # set parameters outside.
    cfg = CN()
    cfg.exponent = 3

    runner = Runner(devices=3, cfg=cfg) # transfer `cfg` into the runner

    data_list = list(range(100))
    result = runner(data_list)
    print(result)

    runner.close()

```

### 1.3.6 API Documentation

- easycore.common.parallel
- easycore.torch.parallel

## 1.4 Register Mechanism

**easycore** make it easy to register an object with name, and get it later.

### 1.4.1 Create a registry

```
MODEL_REGISTRY = Registry("MODEL")
```

### 1.4.2 Register an object with its `__name__`

```

@MODEL_REGISTRY.register()
class ResNet50:
    pass

# or

MODEL_REGISTRY.register(obj=ResNet50)

```

### 1.4.3 Register an object with a given name

```
@MODEL_REGISTRY.register("resnet")
class ResNet50:
    pass

# or

MODEL_REGISTRY.register("resnet", ResNet50)
```

### 1.4.4 Get a registered object from registry

```
model_class = MODEL_REGISTRY.get("ResNet50")

# or

model_class = MODEL_REGISTRY.get("resnet")
```

### 1.4.5 API Documentation

- `easycore.common.registry`

## 1.5 Path manage tools

**easycore** make it easy to manage local path and remote path in the same way.

### 1.5.1 Manage local path

```
from easycore.common.path import PathManager

# open a local path
with PathManager.open("/path/to/file", 'r', encoding='utf-8') as f:
    print(f.read())

# check file or directory exists, similar to `os.path.exists`
PathManager.exists('/path/to/file')

# isfile and isdir, similar to `os.path.isfile` and `os.path.isdir`.
success = PathManager.isfile('/path/to/file')
success = PathManager.isdir('/path/to/dir')

# makedirs, similar to `os.makedirs(path, exist_ok=True)`.
PathManager.makedirs('/path/to/dir')

# remove file (no directory), similar to `os.remove`.
PathManager.remove('/path/to/file')

# remove direcoreis, similar to `os.path.removedirs`.
PathManager.removedirs('/path/to/dir')
```

(continues on next page)

(continued from previous page)

```
# list directory, similar to 'os.listdir'.
list_content = PathManager.listdir('/path/to/dir')

# copy
PathManager.copy("/path/to/file2", "/destination/path")
```

## 1.5.2 Manage remote URL

You can manage remote path (http/https/ftp URL) which may look like `http://xxx.com/yyy.txt`.

The remote file will be first downloaded and cached. The cache directory is set by

1. environment variable `$EASYCORE_CACHE`, if set.
2. otherwise, `~/.easycore/cache`.

```
from easycore.common.path import PathManager

# open a remote path
with PathManager.open("http://xxx.com/yyy.txt", 'r', encoding='utf-8') as f:
    print(f.read())

# get local path
local_path = PathManager.get_local_path("http://xxx.com/yyy.txt")
```

You can copy the file to a local path.

```
# copy remote file to local path.
PathManager.copy("http://xxx.com/yyy.txt", "/a/local/path")
```

## 1.5.3 Redirect path

You can redirect a path to anywhere in local or remote.

For example, if you have uploaded a file to a remote server and you can access it through URL `http://xxx.com/download/yyy/zzz.txt`, `PathManager` make it possible to redirect `easycore://` prefix to `http://xxx.com/download` so that you can access the resource with path `easycore://yyy/zzz.txt`.

```
from easycore.common.path import PathManager, RedirectPathHandler

PathManager.register(RedirectPathHandler("easycore://", "http://xxx.com/download/"))
```

You can also redirect to a local path.

```
from easycore.common.path import PathManager, RedirectPathHandler

PathManager.register(RedirectPathHandler("file://", "/path/to/dir/"))
```

This feature is very useful in redirecting dataset path. For example, my dataset directories are at `e:\Dataset\MNIST`, `e:\Dataset\CIFAR100` and `f:\ImageNet`.

```
from easycore.common.path import PathManager, RedirectPathHandler

PathManager.register(RedirectPathHandler("dataset://MNIST/", "e:\\Dataset\\MNIST\\"))
```

(continues on next page)

(continued from previous page)

```
PathManager.register(RedirectPathHandler("dataset://CIFAR100/",
↪ "e:\\Dataset\\CIFAR100\\"))
PathManager.register(RedirectPathHandler("dataset://ImageNet/", "f:\\ImageNet\\"))
```

Now, I can access them with path `dataset://<dataset-name>/`.

## 1.5.4 Custom PathHandler

The behaviors of PathManager is defined by the registered PathHandlers.

You can also custom a new PathHandler and register it to PathManager.

For example, if you want to redirect the http and https cache directory without setting `$EASYCORE_CACHE`, you can custom the HTTPURLHandler by yourself.

```
from easycore.common.path import PathManager, HTTPURLHandler
import os

# custom PathHandler
class NewHTTPURLHandler(HTTPURLHandler):
    def get_cache_dir(self, protocol):
        cache_dir = os.path.expanduser(os.getenv("NEW_CACHE", "~/.easycore/cache"))
        if protocol is not None:
            cache_dir = os.path.join(cache_dir, protocol)
        return cache_dir

    def get_support_prefixes(self):
        return ["http://", "https://"]

# register custom path handler
PathManager.register(NewHTTPURLHandler(), override=True) # set override to True to_
↪ override the existing http and https path handler.
```

Now, you can set cache directory through `$NEW_CACHE`.

See the detail implement of `NativePathHandler`, `HTTPURLHandler`, `RedirectPathHandler` for more custom path handler examples.

## 1.5.5 API Documentation

- `easycore.common.path`



## 2.1 easycore.common

### 2.1.1 easycore.common.config

**class** `easycore.common.config.CfgNode` (*init\_dict: dict = None, copy=True*)

Bases: *dict*

Config Node

**\_\_init\_\_** (*init\_dict: dict = None, copy=True*)

**Parameters**

- **init\_dict** (*dict*) – a possibly-nested dictionary to initialize the CfgNode.
- **copy** (*bool*) – if this option is set to False, the CfgNode instance will share the value with the *init\_dict*, otherwise the contents of *init\_dict* will be deepcopied.

**freeze** (*frozen: bool = True*)

freeze or unfreeze the CfgNode and all of its children

**Parameters** **frozen** (*bool*) – freeze or unfreeze the config

**is\_frozen** ()

get the state of the config.

**Returns** *bool* – whether the config tree is frozen.

**copy** ()

deepcopy this CfgNode

**Returns** *CfgNode*

**merge** (*cfg*)

merge another CfgNode into this CfgNode, the another CfgNode will override this CfgNode.

**Parameters** **cfg** (*CfgNode*) –

**save** (*save\_path*, *encoding*='utf-8')  
 save the CfgNode into a yaml file

**Parameters** *save\_path* –

**classmethod open** (*file*, *encoding*='utf-8')  
 load a CfgNode from file.

**Parameters**

- **file** (*io.IOBase* or *str*) – file object or path to the yaml file.
- **encoding** (*str*) –

**Returns** *CfgNode*

**classmethod load** (*yaml\_str*: *str*)  
 load a CfgNode from a string of yaml format

**Parameters** *yaml\_str* (*str*) –

**Returns** *CfgNode*

**classmethod dump** (*cfg*, *stream*=None, *encoding*=None, **\*\*kwargs**)  
 dump CfgNode into yaml str or yaml file

---

**Note:** if *stream* option is set to non-None object, the CfgNode will be dumped into stream and return None, if *stream* option is not given or set to None, return a string instead.

---

**Parameters**

- **cfg** (*CfgNode*) –
- **stream** (*io.IOBase* or *None*) – if set to a file object, the CfgNode will be dumped into stream and return None, if set to None, return a string instead.
- **encoding** (*str* or *None*) –
- **\*\*kwargs** – options of the yaml dumper.

Some useful options: ["allow\_unicode", "line\_break", "explicit\_start", "explicit\_end", "version", "tags"].

See more details at [https://github.com/yaml/pyyaml/blob/2f463cf5b0e98a52bc20e348d1e69761bf263b86/lib3/yaml/\\_\\_init\\_\\_.py#L252](https://github.com/yaml/pyyaml/blob/2f463cf5b0e98a52bc20e348d1e69761bf263b86/lib3/yaml/__init__.py#L252)

**Returns** *None* or *str*

**dict** ()  
 convert to a dict

**Returns** *dict*

**\_\_str\_\_** ()

**Returns** *str* – a str of dict format

**class** easycore.common.config.HierarchicalCfgNode  
 Bases: *object*

Config Node help class for open yaml file that depends on another yaml file.

You can specify the dependency between yaml files with `__BASE__` tag.

## Example

We can load yaml file `example-A.yaml` which depends on `example-B.yaml` in the following way.

`example-A.yaml`:

```
__BASE__: ./example-B.yaml
A: in example-A.yaml
C: in example-A.yaml
```

`example-B.yaml`:

```
A: in example-B.yaml
B: in example-B.yaml
```

Now, you can open `example-A.yaml`:

```
>>> import easycore.common.config import HierarchicalCfgNode
>>> cfg = HierarchicalCfgNode.open("./example-A.yaml")
>>> print(cfg)
{"A" : "in example-A.yaml", "B" : "in example-B.yaml", "C" : "in example-A.yaml"}
```

Attributes in `example-A.yaml` will cover attributes in `example-B.yaml`.

---

**Note:** `__BASE__` can be an absolute path or a path relative to the yaml file. And it will be first considered as a path relative to the yaml file then an absolute path.

---

**classmethod** `open` (*file*, *encoding*='utf-8')

load a `CfgNode` from file.

### Parameters

- **file** (*str*) – path to the yaml file.
- **encoding** (*str*) –

**Returns** `CfgNode`

**classmethod** `save` (*cfg*, *save\_path*, *base\_cfg\_path*=None, *base\_path\_relative*=True, *encoding*='utf-8')

save the `CfgNode` into a yaml file

### Parameters

- **cfg** (`CfgNode`) –
- **save\_path** (*str*) –
- **base\_cfg\_path** (*str*) – if not specified, it behavior like `cfg.save(save_path, encoding)`.
- **base\_path\_relative** (*bool*) – whether to set base cfg path to a path relative to the `save_path`.
- **encoding** (*str*) –

## 2.1.2 easycore.common.parallel

**class** `easycore.common.parallel.BaseRunner` (*devices*, *cfg*={}, *queue\_scale*=3.0)

Bases: `object`

A Multi-process runner whose consumer receive data in unorder. The runner will start multi-processes for producers and 1 thread for consumer.

`__init__ (devices, cfg={}, queue_scale=3.0)`

**Parameters**

- **devices** (*int* or *Iterable*) – If the *devices* is *int*, it will use devices cpu to do the work. If the *devices* is an iterable object, such as list, it will use the devices specified by the iterable object, such as ["cpu", "cuda:0", "cuda:1"].
- **cfg** (`easycore.common.config.CfgNode`) – user custom data.
- **queue\_scale** (*float*) – scale the queues for communication between processes.

**is\_activate**

whether the runner is alive.

**static producer\_init** (*device, cfg*)

function for producer initialization.

**Parameters**

- **device** (*str*) – device for the this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *producer\_work* and *producer\_end* function.

**static producer\_work** (*device, cfg, data*)

function specify how the producer processes the data.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *producer\_init* function and transfer data to the next *producer\_work* and *producer\_end* function.
- **data** (*Any*) – data get from input of `__call__` method.

**Returns** *Any* – processed data

**static producer\_end** (*device, cfg*)

function after finishing all of its task and before close the process.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *producer\_init* and *producer\_work* function.

**static consumer\_init** (*cfg*)

function for consumer initialization.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *consumer\_work* and *consumer\_end* function.

**static consumer\_work** (*cfg, data*)

function specify how the consumer processses the data from producers.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *consumer\_init* function and transfer data to the next *consumer\_work* and *consumer\_end* function.

```

static consumer_end(cfg)
    function after receiving all data from producers.

    Parameters cfg (easycore.common.config.CfgNode) – config of this process, you
        can use it get data from consumer_work function.

    Returns Any – processed data

__call__(data_iter)

    Parameters data_iter (Iterable) – iterator of data

    Returns Any – result

close()
    Shutdown all processes if this runner is alive.

activate()
    Restart all processes if this runner is closed.

class easycore.common.parallel.UnorderedRunner (devices, cfg={}, queue_scale=3.0)
    Bases: easycore.common.parallel.engine.BaseRunner

    A Multi-process runner whose consumer receive data in unordered. The runner will start multi-processes for
    producers and 1 thread for consumer.

    __init__(devices, cfg={}, queue_scale=3.0)

        Parameters

        • devices (int or Iterable) – If the devices is int, it will use devices cpu to do the
            work. If the devices is an iterable object, such as list, it will use the devices specified by
            the iterable object, such as ["cpu", "cuda:0", "cuda:1"].

        • cfg (easycore.common.config.CfgNode) – user custom data.

        • queue_scale (float) – scale the queues for communication between processes.

    __call__(data_iter)

        Parameters data_iter (Iterable) – iterator of data

        Returns Any – result

    activate()
        Restart all processes if this runner is closed.

    close()
        Shutdown all processes if this runner is alive.

    static consumer_end(cfg)
        function after receiving all data from producers.

        Parameters cfg (easycore.common.config.CfgNode) – config of this process, you
            can use it get data from consumer_work function.

        Returns Any – processed data

    static consumer_init(cfg)
        function for consumer initialization.

        Parameters cfg (easycore.common.config.CfgNode) – config of this process, you
            can use it to transfer data to consumer_work and consumer_end function.

    static consumer_work(cfg, data)
        function specify how the consumer processses the data from producers.

```

**Parameters** `cfg` (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from `consumer_init` function and transfer data to the next `consumer_work` and `consumer_end` function.

**is\_activate**

whether the runner is alive.

**static producer\_end** (`device`, `cfg`)

function after finishing all of its task and before close the process.

**Parameters**

- **device** (`str`) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from `producer_init` and `producer_work` function.

**static producer\_init** (`device`, `cfg`)

function for producer initialization.

**Parameters**

- **device** (`str`) – device for the this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to `producer_work` and `producer_end` function.

**static producer\_work** (`device`, `cfg`, `data`)

function specify how the producer processes the data.

**Parameters**

- **device** (`str`) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from `producer_init` function and transfer data to the next `producer_work` and `producer_end` function.
- **data** (`Any`) – data get from input of `__call__` method.

**Returns** `Any` – processed data

**class** `easycore.common.parallel.OrderedRunner` (`devices`, `cfg={}`, `queue_scale=3.0`)

Bases: `easycore.common.parallel.engine.BaseRunner`

A Multi-process runner whose consumer receive data in order. The runner will start multi-processes for producers and 1 thread for consumer.

**\_\_init\_\_** (`devices`, `cfg={}`, `queue_scale=3.0`)

**Parameters**

- **devices** (`int` or `Iterable`) – If the `devices` is `int`, it will use devices cpu to do the work. If the `devices` is an iterable object, such as list, it will use the devices specified by the iterable object, such as ["cpu", "cuda:0", "cuda:1"].
- **cfg** (`easycore.common.config.CfgNode`) – user custom data.
- **queue\_scale** (`float`) – scale the queues for communication between processes.

**close** ()

Shutdown all processes if this runner is alive.

**activate** ()

Restart all processes if this runner is closed.

**\_\_call\_\_** (*data\_iter*)

**Parameters** *data\_iter* (*Iterable*) – iterator of data

**Returns** *Any* – result

**static consumer\_end** (*cfg*)

function after receiving all data from producers.

**Parameters** *cfg* (*easycore.common.config.CfgNode*) – config of this process, you can use it get data from *consumer\_work* function.

**Returns** *Any* – processed data

**static consumer\_init** (*cfg*)

function for consumer initialization.

**Parameters** *cfg* (*easycore.common.config.CfgNode*) – config of this process, you can use it to transfer data to *consumer\_work* and *consumer\_end* function.

**static consumer\_work** (*cfg, data*)

function specify how the consumer processes the data from producers.

**Parameters** *cfg* (*easycore.common.config.CfgNode*) – config of this process, you can use it to get data from *consumer\_init* function and transfer data to the next *consumer\_work* and *consumer\_end* function.

**is\_activate**

whether the runner is alive.

**static producer\_end** (*device, cfg*)

function after finishing all of its task and before close the process.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (*easycore.common.config.CfgNode*) – config of this process, you can use it to get data from *producer\_init* and *producer\_work* function.

**static producer\_init** (*device, cfg*)

function for producer initialization.

**Parameters**

- **device** (*str*) – device for the this process.
- **cfg** (*easycore.common.config.CfgNode*) – config of this process, you can use it to transfer data to *producer\_work* and *producer\_end* function.

**static producer\_work** (*device, cfg, data*)

function specify how the producer processes the data.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (*easycore.common.config.CfgNode*) – config of this process, you can use it to get data from *producer\_init* function and transfer data to the next *producer\_work* and *producer\_end* function.
- **data** (*Any*) – data get from input of *\_\_call\_\_* method.

**Returns** *Any* – processed data

### 2.1.3 easycore.common.registry

**class** easycore.common.registry.**Registry** (*name: str*)  
Bases: `object`

The registry that provides name -> object mapping.

To create a registry:

```
MODEL_REGISTRY = Registry("MODEL")
```

To register an object with its `__name__`:

```
@MODEL_REGISTRY.register()
class ResNet50:
    pass

# or

MODEL_REGISTRY.register(obj=ResNet50)
```

To register an object with a given name:

```
@MODEL_REGISTRY.register("resnet")
class ResNet50:
    pass

# or

MODEL_REGISTRY.register("resnet", ResNet50)
```

To get a registered object from registry:

```
model_class = MODEL_REGISTRY.get("ResNet50")

# or

model_class = MODEL_REGISTRY.get("resnet")
```

`__init__` (*name: str*) → None

**Parameters** **name** (*str*) – name of this registry

**register** (*name: str = None, obj: object = None*) → Optional[object]

Register the given object with given name. If the object is not given, it will act as a decorator.

**Parameters**

- **name** (*str, optional*) – if not given, it will use *obj.\_\_name\_\_* as the name.
- **obj** (*object, optional*) – if not given, this method will return a decorator.

**Returns** *Optional[object]* – None or a decorator.

**unregister** (*name: str*) → None

Remove registered object.

**Parameters** **name** (*str*) – registered name

**is\_registered** (*name*)

Get whether the given name has been registered.



**Parameters** `name (str)` –

**Returns** `bool` – whether the name has been registered.

**get** (`name: str`) → `object`

Get a registered object from registry by its name.

**Parameters** `name (str)` – registered name.

**Returns** `object` – registered object.

**registered\_names** () → `List[str]`

Get all registered names.

**Returns** `list[str]` – list of registered names.

## 2.1.4 easycore.common.network

`easycore.common.network.download_file (url: str, dir: str, filename: Optional[str] = None, progress: bool = True) → str`

Download a file from a given URL to a directory. If the file exists, will not overwrite the existing file.

**Parameters**

- **url** (`str`) –
- **dir** (`str`) – the directory to store the file.
- **filename** (`str` or `None`) – the basename to save the file. Use the name in the URL if not given.
- **progress** (`bool`) – whether to use tqdm to draw a progress bar.

**Returns** `str` – the path to the downloaded file or the existing one.

## 2.1.5 easycore.common.path

**class** `easycore.common.path.PathManager`

Bases: `object`

A general path manager for URI.

**static register** (`handler: easycore.common.path.path_handler.PathHandler, override: bool = False`) → `None`

Register a path handler.

**Parameters**

- **handler** (`PathHandler`) –
- **override** (`bool`) – allow overriding existing handler for prefix.

**static open** (`path: str, mode: str = 'r', **kwargs`)

Open a stream to a URI, similar to the built-in `open`.

**Parameters**

- **path** (`str`) – A URI supported by registered `PathHandler`.
- **mode** (`str`) – Specifies the mode in which the file is opened. It defaults to 'r'.
- **arguments of built-in open such as encoding are also available.** (`other`) –

**Returns** *IO* – a file-like object.

**static copy** (*src\_path: str, dst\_path: str, overwrite: bool = False*) → bool  
Copy a source path to a destination path.

**Parameters**

- **src\_path** (*str*) – A URI or local path supported by registered PathHandler.
- **dst\_path** (*str*) – A URI or local path supported by registered PathHandler.
- **overwrite** (*bool*) – forcing overwrite of existing URI.

**Returns** *bool* – True on success.

**static copy\_from\_local** (*local\_path: str, dst\_path: str, overwrite: bool = False*) → bool  
Copy a resource form local path to destination path.

---

**Note:** This interface is for custom PathHandler, it is prefered to use *copy()* instead.

---

**Parameters**

- **local\_path** (*str*) – a local path.
- **dst\_path** (*str*) – A URI supported by registered PathHandler.
- **overwrite** (*bool*) – forcing overwrite of existing URI.

**Returns** *bool* – True on success.

**static get\_local\_path** (*path: str*) → str  
Get a file path which is compatible with native Python I/O such as *open* and *os.path*.

---

**Note:** If URI points to a remote resource, this function may download and cache the resource to local disk.

---

**Parameters** **path** (*str*) – A URI supported by registered PathHandler.

**Returns** *str* – a file path which exists on the local file system.

**static exists** (*path: str*) → bool  
Checks if there is a resource at the given URI.

**Parameters** **path** (*str*) – A URI supported by registered PathHandler.

**Returns** *bool* – True if the path exists.

**static isfile** (*path: str*) → bool  
Checks if there the resource at the given URI is a file.

**Parameters** **path** (*str*) – A URI supported by registered PathHandler.

**Returns** *bool* – True if the path is a file.

**static isdir** (*path: str*) → bool  
Checks if the resource at the given URI is a directory.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a directory.

**static listdir** (*path: str*) → List[str]

List the contents of the directory at the given URI.

**Parameters** *path* (*str*) – A URI supported by registered PathHandler.

**Returns** *List[str]* – list of contents in the given path.

**static makedirs** (*path: str*) → None

Recursive directory creation function. Similar to *os.makedirs()*.

**Parameters** *path* (*str*) – A URI supported by registered PathHandler.

**static remove** (*path: str*) → None

Remove the file (not directory) at the given URI.

**Parameters** *path* (*str*) – A URI supported by registered PathHandler.

**static removedirs** (*path: str*) → None

Remove directories recursively.

**Parameters** *path* (*str*) – A URI supported by registered PathHandler.

**class** `easycore.common.path.PathHandler`

Bases: `object`

Base Path handler class for a URI. It routes I/O for a generic URI which may look like “protocol://path/to/file”.

**get\_cache\_dir** (*protocol: Optional[str] = None*) → str

Return a cache directory like *<base-cache-dir>/protocol*.

The *<base-cache-dir>* is

- 1) `$EASYCORE_CACHE`, if set
- 2) otherwise `~/.easycore/cache`

**Parameters** *protocol* (*str or None*) – protocol such as ‘http’, ‘https’. If None, returns the base cache dir.

**get\_supported\_prefixes** () → List[str]

**Returns** *List[str]* – the list of URI prefixes the PathHandler can support.

**get\_local\_path** (*path: str*) → str

Get a file path which is compatible with native Python I/O such as *open* and *os.path*.

**Parameters** *path* (*str*) – A URI supported by this PathHandler.

**Returns** *local\_path* (*str*) – a file path which exists on the local file system.

**open** (*path: str, mode: str = 'r', \*\*kwargs*)

Open a stream to a URI, similar to the built-in *open*.

**Parameters**

- **path** (*str*) – A URI supported by this PathHandler.
- **mode** (*str*) – Specifies the mode in which the file is opened. It defaults to ‘r’.

**Returns** *IO* – a file-like object.

**exists** (*path: str*) → bool

Checks if there is a resource at the given URI.

**Parameters** *path* (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path exists.

**isfile** (*path: str*) → bool

Checks if the resource at the given URI is a file.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**isdir** (*path: str*) → bool

Checks if the resource at the given URI is a directory.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**listdir** (*path: str*) → bool

List the contents of the directory at the given URI.

**Parameters** **path** (*str*) – A URI supported by the PathHandler.

**Returns** *List[str]* – list of contents in given path.

**makedirs** (*path: str*) → None

Recursive directory creation function. Similar to *os.makedirs*

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**remove** (*path: str*) → None

Remove the file (not directory) at the given URI.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**removedirs** (*path: str*) → None

Remove directories recursively.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**copy\_from\_local** (*local\_path: str, dst\_path: str, overwrite: bool = False*) → None

Copy a local file to the given URI.

**Parameters**

- **local\_path** (*str*) – a local file path
- **dst\_path** (*str*) – A URI supported by this PathHandler.
- **overwrite** (*bool*) – forcing overwirte of existing URI.

**Returns** *bool* – True on success.

**class** `easycore.common.path.NativePathHandler`

Bases: `easycore.common.path.path_handler.PathHandler`

PathHandler for local path.

**get\_local\_path** (*path: str*) → str

Get a file path which is compatible with native Python I/O such as *open* and *os.path*.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *local\_path (str)* – a file path which exists on the local file system.

**open** (*path: str, mode: str = 'r', \*\*kwargs*)

Open a stream to a URI, similar to the built-in *open*.

**Parameters**

- **path** (*str*) – A URI supported by this PathHandler.

- **mode** (*str*) – Specifies the mode in which the file is opened. It defaults to 'r'.

**Returns** *IO* – a file-like object.

**exists** (*path: str*) → bool

Checks if there is a resource at the given URI.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path exists.

**isfile** (*path: str*) → bool

Checks if the resource at the given URI is a file.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**isdir** (*path: str*) → bool

Checks if the resource at the given URI is a directory.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**listdir** (*path: str*) → bool

List the contents of the directory at the given URI.

**Parameters** **path** (*str*) – A URI supported by the PathHandler.

**Returns** *List[str]* – list of contents in given path.

**makedirs** (*path: str*) → None

Recursive directory creation function. Similar to *os.makedirs*

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**remove** (*path: str*) → None

Remove the file (not directory) at the given URI.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**removedirs** (*path: str*) → None

Remove directories recursively.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**copy\_from\_local** (*local\_path: str, dst\_path: str, overwrite: bool = False*) → None

Copy a local file to the given URI.

**Parameters**

- **local\_path** (*str*) – a local file path
- **dst\_path** (*str*) – A URI supported by this PathHandler.
- **overwrite** (*bool*) – forcing overwirte of existing URI.

**Returns** *bool* – True on success.

**get\_cache\_dir** (*protocol: Optional[str] = None*) → str

Return a cache directory like <base-cache-dir>/protocol.

The <base-cache-dir> is

- 1) \$EASYCORE\_CACHE, if set
- 2) otherwise ~/.easycore/cache

**Parameters** `protocol` (*str or None*) – protocol such as ‘http’, ‘https’. If None, returns the base cache dir.

**get\_supported\_prefixes** () → List[str]

**Returns** *List[str]* – the list of URI prefixes the PathHandler can support.

**class** `easycore.common.path.HTTPURLHandler`

Bases: `easycore.common.path.path_handler.PathHandler`

Download URLs and cache them to disk.

**get\_supported\_prefixes** () → List[str]

**Returns** *List[str]* – the list of URI prefixes the PathHandler can support.

**get\_local\_path** (*path: str*) → str

Get a file path which is compatible with native Python I/O such as *open* and *os.path*.

**Parameters** `path` (*str*) – A URI supported by this PathHandler.

**Returns** *local\_path (str)* – a file path which exists on the local file system.

**open** (*path: str, mode: str = 'r', \*\*kwargs*)

Open a stream to a URI, similar to the built-in *open*.

**Parameters**

- **path** (*str*) – A URI supported by this PathHandler.
- **mode** (*str*) – Specifies the mode in which the file is opened. It defaults to ‘r’.

**Returns** *IO* – a file-like object.

**copy\_from\_local** (*local\_path: str, dst\_path: str, overwrite: bool = False*) → None

Copy a local file to the given URI.

**Parameters**

- **local\_path** (*str*) – a local file path
- **dst\_path** (*str*) – A URI supported by this PathHandler.
- **overwrite** (*bool*) – forcing overwirte of existing URI.

**Returns** *bool* – True on success.

**exists** (*path: str*) → bool

Checks if there is a resource at the given URI.

**Parameters** `path` (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path exists.

**get\_cache\_dir** (*protocol: Optional[str] = None*) → str

Return a cache directory like *<base-cache-dir>/protocol*.

The *<base-cache-dir>* is

- 1) `$EASYCORE_CACHE`, if set
- 2) otherwise `~/easycore/cache`

**Parameters** `protocol` (*str or None*) – protocol such as ‘http’, ‘https’. If None, returns the base cache dir.

**isdir** (*path: str*) → bool

Checks if the resource at the given URI is a directory.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**isfile** (*path: str*) → bool

Checks if the resource at the given URI is a file.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**listdir** (*path: str*) → bool

List the contents of the directory at the given URI.

**Parameters** **path** (*str*) – A URI supported by the PathHandler.

**Returns** *List[str]* – list of contents in given path.

**makedirs** (*path: str*) → None

Recursive directory creation function. Similar to *os.makedirs*

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**remove** (*path: str*) → None

Remove the file (not directory) at the given URI.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**removedirs** (*path: str*) → None

Remove directories recursively.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**class** `easycore.common.path.RedirectPathHandler` (*new\_prefix: str, old\_prefix: str*)

Bases: `easycore.common.path.path_handler.PathHandler`

Redirect a new prefix to existed prefix.

## Example

```
PathManager.register(RedirectPathHandler("easycore://", "http://xxx.com/download/
↪"))
```

**get\_supported\_prefixes** () → *List[str]*

**Returns** *List[str]* – the list of URI prefixes the PathHandler can support.

**redirect** (*path: str*) → *str*

Redirect path from new\_prefix to old\_prefix path.

**Parameters** **path** (*str*) – path of new\_prefix.

**Returns** *str* – path of old\_prefix.

**get\_local\_path** (*path: str*) → *str*

Get a file path which is compatible with native Python I/O such as *open* and *os.path*.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *local\_path (str)* – a file path which exists on the local file system.

**open** (*path: str, mode: str = 'r', \*\*kwargs*)

Open a stream to a URI, similar to the built-in *open*.

**Parameters**

- **path** (*str*) – A URI supported by this PathHandler.
- **mode** (*str*) – Specifies the mode in which the file is opened. It defaults to 'r'.

**Returns** *IO* – a file-like object.

**exists** (*path: str*) → bool

Checks if there is a resource at the given URI.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path exists.

**isfile** (*path: str*) → bool

Checks if the resource at the given URI is a file.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**isdir** (*path: str*) → bool

Checks if the resource at the given URI is a directory.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**Returns** *bool* – True if the path is a file.

**listdir** (*path: str*) → bool

List the contents of the directory at the given URI.

**Parameters** **path** (*str*) – A URI supported by the PathHandler.

**Returns** *List[str]* – list of contents in given path.

**makedirs** (*path: str*) → None

Recursive directory creation function. Similar to *os.makedirs*

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**remove** (*path: str*) → None

Remove the file (not directory) at the given URI.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**removedirs** (*path: str*) → None

Remove directories recursively.

**Parameters** **path** (*str*) – A URI supported by this PathHandler.

**copy\_from\_local** (*local\_path: str, dst\_path: str, overwrite: bool = False*) → None

Copy a local file to the given URI.

**Parameters**

- **local\_path** (*str*) – a local file path
- **dst\_path** (*str*) – A URI supported by this PathHandler.
- **overwrite** (*bool*) – forcing overwirte of existing URI.

**Returns** *bool* – True on success.



**get\_cache\_dir** (*protocol: Optional[str] = None*) → str  
Return a cache directory like <base-cache-dir>/protocol.

The <base-cache-dir> is

- 1) \$EASYCORE\_CACHE, if set
- 2) otherwise ~/.easycore/cache

**Parameters** **protocol** (*str or None*) – protocol such as ‘http’, ‘https’. If None, returns the base cache dir.

**easycore.common.path.file\_lock** (*path: str*)

A file lock. Once entered, it is guaranteed that no one else holds the same lock. Others trying to enter the lock will block for 30 minutes and raise an exception.

This is useful to make sure workers don’t cache files to the same location.

**Parameters** **path** (*str*) – a path to be locked. This function will create a lock named *path* + “.lock”.

## Examples

```
>>> filename = "/path/to/file"
>>> with file_lock(filename):
>>>     if not os.path.isfile(filename):
>>>         do_create_file()
```

## 2.2 easycore.torch

### 2.2.1 easycore.torch.parallel

**class** **easycore.torch.parallel.BaseRunner** (*devices, cfg={}, queue\_scale=3.0*)  
Bases: **object**

A Multi-process runner whose consumer receive data in unordered. The runner will start multi-processes for producers and 1 thread for consumer.

**\_\_init\_\_** (*devices, cfg={}, queue\_scale=3.0*)

#### Parameters

- **devices** (*int or Iterable*) – If the *devices* is *int*, it will use devices cpu to do the work. If the *devices* is an iterable object, such as list, it will use the devices specified by the iterable object, such as [“cpu”, “cuda:0”, “cuda:1”].
- **cfg** (**easycore.common.config.CfgNode**) – user custom data.
- **queue\_scale** (*float*) – scale the queues for communication between processes.

**is\_activate**

whether the runner is alive.

**static producer\_init** (*device, cfg*)

function for producer initialization.

#### Parameters

- **device** (*str*) – device for the this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *producer\_work* and *producer\_end* function.

**static producer\_work** (*device, cfg, data*)  
function specify how the producer processes the data.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *producer\_init* function and transfer data to the next *producer\_work* and *producer\_end* function.
- **data** (*Any*) – data get from input of `__call__` method.

**Returns** *Any* – processed data

**static producer\_end** (*device, cfg*)  
function after finishing all of its task and before close the process.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *producer\_init* and *producer\_work* function.

**static consumer\_init** (*cfg*)  
function for consumer initialization.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *consumer\_work* and *consumer\_end* function.

**static consumer\_work** (*cfg, data*)  
function specify how the consumer processses the data from producers.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *consumer\_init* function and transfer data to the next *consumer\_work* and *consumer\_end* function.

**static consumer\_end** (*cfg*)  
function after receiving all data from producers.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it get data from *consumer\_work* function.

**Returns** *Any* – processed data

**\_\_call\_\_** (*data\_iter*)

**Parameters** **data\_iter** (*Iterable*) – iterator of data

**Returns** *Any* – result

**close** ()  
Shutdown all processes if this runner is alive.

**activate** ()  
Restart all processes if this runner is closed.

**class** `easycore.torch.parallel.UnorderedRunner` (*devices, cfg={}, queue\_scale=3.0*)  
Bases: `easycore.torch.parallel.engine.BaseRunner`

A Multi-process runner whose consumer receive data in unordered. The runner will start multi-processes for producers and 1 thread for consumer.

`__init__(devices, cfg={}, queue_scale=3.0)`

**Parameters**

- **devices** (*int* or *Iterable*) – If the *devices* is *int*, it will use devices cpu to do the work. If the *devices* is an iterable object, such as list, it will use the devices specified by the iterable object, such as ["cpu", "cuda:0", "cuda:1"].
- **cfg** (`easycore.common.config.CfgNode`) – user custom data.
- **queue\_scale** (*float*) – scale the queues for communication between processes.

`__call__(data_iter)`

**Parameters** `data_iter` (*Iterable*) – iterator of data

**Returns** *Any* – result

`activate()`

Restart all processes if this runner is closed.

`close()`

Shutdown all processes if this runner is alive.

`static consumer_end(cfg)`

function after receiving all data from producers.

**Parameters** `cfg` (`easycore.common.config.CfgNode`) – config of this process, you can use it get data from *consumer\_work* function.

**Returns** *Any* – processed data

`static consumer_init(cfg)`

function for consumer initialization.

**Parameters** `cfg` (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *consumer\_work* and *consumer\_end* function.

`static consumer_work(cfg, data)`

function specify how the consumer processses the data from producers.

**Parameters** `cfg` (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *consumer\_init* function and transfer data to the next *consumer\_work* and *consumer\_end* function.

`is_activate`

whether the runner is alive.

`static producer_end(device, cfg)`

function after finishing all of its task and before close the process.

**Parameters**

- **device** (*str*) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *producer\_init* and *producer\_work* function.

`static producer_init(device, cfg)`

function for producer initialization.

**Parameters**

- **device** (*str*) – device for the this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *producer\_work* and *producer\_end* function.

**static producer\_work** (*device, cfg, data*)  
function specify how the producer processes the data.

#### Parameters

- **device** (*str*) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from *producer\_init* function and transfer data to the next *producer\_work* and *producer\_end* function.
- **data** (*Any*) – data get from input of `__call__` method.

**Returns** *Any* – processed data

**class** `easycore.torch.parallel.OrderedRunner` (*devices, cfg={}, queue\_scale=3.0*)  
Bases: `easycore.torch.parallel.engine.BaseRunner`

A Multi-process runner whose consumer receive data in order. The runner will start multi-processes for producers and 1 thread for consumer.

`__init__` (*devices, cfg={}, queue\_scale=3.0*)

#### Parameters

- **devices** (*int or Iterable*) – If the *devices* is *int*, it will use devices cpu to do the work. If the *devices* is an iterable object, such as list, it will use the devices specified by the iterable object, such as ["cpu", "cuda:0", "cuda:1"].
- **cfg** (`easycore.common.config.CfgNode`) – user custom data.
- **queue\_scale** (*float*) – scale the queues for communication between processes.

`close` ()  
Shutdown all processes if this runner is alive.

`activate` ()  
Restart all processes if this runner is closed.

`__call__` (*data\_iter*)

**Parameters** **data\_iter** (*Iterable*) – iterator of data

**Returns** *Any* – result

**static consumer\_end** (*cfg*)  
function after receiving all data from producers.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it get data from *consumer\_work* function.

**Returns** *Any* – processed data

**static consumer\_init** (*cfg*)  
function for consumer initialization.

**Parameters** **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to *consumer\_work* and *consumer\_end* function.

**static consumer\_work** (*cfg, data*)  
function specify how the consumer processs the data from producers.

**Parameters** `cfg` (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from `consumer_init` function and transfer data to the next `consumer_work` and `consumer_end` function.

**is\_activate**

whether the runner is alive.

**static producer\_end** (`device`, `cfg`)

function after finishing all of its task and before close the process.

**Parameters**

- **device** (`str`) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from `producer_init` and `producer_work` function.

**static producer\_init** (`device`, `cfg`)

function for producer initialization.

**Parameters**

- **device** (`str`) – device for the this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to transfer data to `producer_work` and `producer_end` function.

**static producer\_work** (`device`, `cfg`, `data`)

function specify how the producer processes the data.

**Parameters**

- **device** (`str`) – device for this process.
- **cfg** (`easycore.common.config.CfgNode`) – config of this process, you can use it to get data from `producer_init` function and transfer data to the next `producer_work` and `producer_end` function.
- **data** (`Any`) – data get from input of `__call__` method.

**Returns** `Any` – processed data



## CHAPTER 3

---

### Indices and tables

---

- `genindex`
- `search`





### e

`easycore.common`, [29](#)  
`easycore.common.config`, [13](#)  
`easycore.common.network`, [21](#)  
`easycore.common.parallel`, [15](#)  
`easycore.common.path`, [21](#)  
`easycore.common.registry`, [20](#)  
`easycore.torch`, [33](#)  
`easycore.torch.parallel`, [29](#)



## Symbols

- [\\_\\_call\\_\\_\(\)](#) (*easycore.common.parallel.BaseRunner* method), 17  
[\\_\\_call\\_\\_\(\)](#) (*easycore.common.parallel.OrderedRunner* method), 18  
[\\_\\_call\\_\\_\(\)](#) (*easycore.common.parallel.UnorderedRunner* method), 17  
[\\_\\_call\\_\\_\(\)](#) (*easycore.torch.parallel.BaseRunner* method), 30  
[\\_\\_call\\_\\_\(\)](#) (*easycore.torch.parallel.OrderedRunner* method), 32  
[\\_\\_call\\_\\_\(\)](#) (*easycore.torch.parallel.UnorderedRunner* method), 31  
[\\_\\_init\\_\\_\(\)](#) (*easycore.common.config.CfgNode* method), 13  
[\\_\\_init\\_\\_\(\)](#) (*easycore.common.parallel.BaseRunner* method), 16  
[\\_\\_init\\_\\_\(\)](#) (*easycore.common.parallel.OrderedRunner* method), 18  
[\\_\\_init\\_\\_\(\)](#) (*easycore.common.parallel.UnorderedRunner* method), 17  
[\\_\\_init\\_\\_\(\)](#) (*easycore.common.registry.Registry* method), 20  
[\\_\\_init\\_\\_\(\)](#) (*easycore.torch.parallel.BaseRunner* method), 29  
[\\_\\_init\\_\\_\(\)](#) (*easycore.torch.parallel.OrderedRunner* method), 32  
[\\_\\_init\\_\\_\(\)](#) (*easycore.torch.parallel.UnorderedRunner* method), 31  
[\\_\\_str\\_\\_\(\)](#) (*easycore.common.config.CfgNode* method), 14
- ## A
- [activate\(\)](#) (*easycore.common.parallel.BaseRunner* method), 17  
[activate\(\)](#) (*easycore.common.parallel.OrderedRunner* method), 18  
[activate\(\)](#) (*easycore.common.parallel.UnorderedRunner* method), 17  
[activate\(\)](#) (*easycore.torch.parallel.BaseRunner* method), 30  
[activate\(\)](#) (*easycore.torch.parallel.OrderedRunner* method), 32  
[activate\(\)](#) (*easycore.torch.parallel.UnorderedRunner* method), 31
- ## B
- [BaseRunner](#) (class in *easycore.common.parallel*), 15  
[BaseRunner](#) (class in *easycore.torch.parallel*), 29
- ## C
- [CfgNode](#) (class in *easycore.common.config*), 13  
[close\(\)](#) (*easycore.common.parallel.BaseRunner* method), 17  
[close\(\)](#) (*easycore.common.parallel.OrderedRunner* method), 18  
[close\(\)](#) (*easycore.common.parallel.UnorderedRunner* method), 17  
[close\(\)](#) (*easycore.torch.parallel.BaseRunner* method), 30  
[close\(\)](#) (*easycore.torch.parallel.OrderedRunner* method), 32  
[close\(\)](#) (*easycore.torch.parallel.UnorderedRunner* method), 31  
[consumer\\_end\(\)](#) (*easycore.common.parallel.BaseRunner* static method), 16  
[consumer\\_end\(\)](#) (*easycore.common.parallel.OrderedRunner* static method), 19  
[consumer\\_end\(\)](#) (*easycore.common.parallel.UnorderedRunner* static method), 17  
[consumer\\_end\(\)](#) (*easycore.torch.parallel.BaseRunner* static method), 30  
[consumer\\_end\(\)](#) (*easycore.torch.parallel.OrderedRunner* static method), 32

<code>consumer_end()</code>	(easy-static <code>core.torch.parallel.UnorderedRunner</code> method), 31	<code>copy_from_local()</code>	(easy-static <code>core.common.path.RedirectPathHandler</code> method), 28
<code>consumer_init()</code>	(easy-static <code>core.common.parallel.BaseRunner</code> method), 16	<b>D</b>	
<code>consumer_init()</code>	(easy-static <code>core.common.parallel.OrderedRunner</code> method), 19	<code>dict()</code>	( <code>easycore.common.config.CfgNode</code> method), 14
<code>consumer_init()</code>	(easy-static <code>core.common.parallel.UnorderedRunner</code> static method), 17	<code>download_file()</code>	(in module <code>easy-core.common.network</code> ), 21
<code>consumer_init()</code>	(easy-static <code>core.torch.parallel.BaseRunner</code> static method), 30	<code>dump()</code>	( <code>easycore.common.config.CfgNode</code> class method), 14
<code>consumer_init()</code>	(easy-static <code>core.torch.parallel.OrderedRunner</code> method), 32	<b>E</b>	
<code>consumer_init()</code>	(easy-static <code>core.torch.parallel.UnorderedRunner</code> method), 31	<code>easycore.common</code>	(module), 29
<code>consumer_work()</code>	(easy-static <code>core.common.parallel.BaseRunner</code> method), 16	<code>easycore.common.config</code>	(module), 13
<code>consumer_work()</code>	(easy-static <code>core.common.parallel.OrderedRunner</code> method), 19	<code>easycore.common.network</code>	(module), 21
<code>consumer_work()</code>	(easy-static <code>core.common.parallel.UnorderedRunner</code> static method), 17	<code>easycore.common.parallel</code>	(module), 15
<code>consumer_work()</code>	(easy-static <code>core.torch.parallel.BaseRunner</code> static method), 30	<code>easycore.common.path</code>	(module), 21
<code>consumer_work()</code>	(easy-static <code>core.torch.parallel.OrderedRunner</code> method), 32	<code>easycore.common.registry</code>	(module), 20
<code>consumer_work()</code>	(easy-static <code>core.torch.parallel.UnorderedRunner</code> method), 31	<code>easycore.torch</code>	(module), 33
<code>exists()</code>	(easy-static <code>easycore.common.path.HTTPURLHandler</code> method), 26	<code>easycore.torch.parallel</code>	(module), 29
<code>exists()</code>	( <code>easycore.common.path.NativePathHandler</code> method), 25	<code>exists()</code>	( <code>easycore.common.path.HTTPURLHandler</code> method), 26
<code>exists()</code>	( <code>easycore.common.path.PathHandler</code> method), 23	<code>exists()</code>	( <code>easycore.common.path.NativePathHandler</code> method), 25
<code>exists()</code>	( <code>easycore.common.path.PathManager</code> static method), 22	<code>exists()</code>	( <code>easycore.common.path.PathHandler</code> method), 23
<code>exists()</code>	( <code>easycore.common.path.RedirectPathHandler</code> method), 28	<code>exists()</code>	( <code>easycore.common.path.PathManager</code> static method), 22
<b>F</b>		<code>exists()</code>	( <code>easycore.common.path.RedirectPathHandler</code> method), 28
<code>file_lock()</code>	(in module <code>easycore.common.path</code> ), 29	<b>G</b>	
<code>freeze()</code>	( <code>easycore.common.config.CfgNode</code> method), 13	<code>get()</code>	( <code>easycore.common.registry.Registry</code> method), 21
<b>G</b>		<code>get_cache_dir()</code>	(easy-static <code>core.common.path.HTTPURLHandler</code> method), 26
<code>get()</code>	( <code>easycore.common.registry.Registry</code> method), 21	<code>get_cache_dir()</code>	(easy-static <code>core.common.path.NativePathHandler</code> method), 25
<code>get_cache_dir()</code>	(easy-static <code>core.common.path.HTTPURLHandler</code> method), 26	<code>get_cache_dir()</code>	(easy-static <code>core.common.path.PathHandler</code> method), 23
<code>get_cache_dir()</code>	(easy-static <code>core.common.path.NativePathHandler</code> method), 25	<code>get_cache_dir()</code>	(easy-static <code>core.common.path.RedirectPathHandler</code> method), 28
<code>get_cache_dir()</code>	(easy-static <code>core.common.path.PathHandler</code> method), 23	<code>get_local_path()</code>	(easy-static <code>core.common.path.HTTPURLHandler</code> method), 26
<code>get_cache_dir()</code>	(easy-static <code>core.common.path.RedirectPathHandler</code> method), 28		
<code>get_local_path()</code>	(easy-static <code>core.common.path.HTTPURLHandler</code> method), 26		

`get_local_path()`  
(*easycore.common.path.NativePathHandler*  
method), 24

`get_local_path()`  
(*easycore.common.path.PathHandler*  
method), 23

`get_local_path()`  
(*easycore.common.path.PathManager*  
static method), 22

`get_local_path()`  
(*easycore.common.path.RedirectPathHandler*  
method), 27

`get_supported_prefixes()`  
(*easycore.common.path.HTTPURLHandler*  
method), 26

`get_supported_prefixes()`  
(*easycore.common.path.NativePathHandler*  
method), 26

`get_supported_prefixes()`  
(*easycore.common.path.PathHandler*  
method), 23

`get_supported_prefixes()`  
(*easycore.common.path.RedirectPathHandler*  
method), 27

## H

`HierarchicalCfgNode` (class in *easycore.common.config*), 14

`HTTPURLHandler` (class in *easycore.common.path*), 26

## I

`is_activate` (*easycore.common.parallel.BaseRunner*  
attribute), 16

`is_activate` (*easycore.common.parallel.OrderedRunner*  
attribute), 19

`is_activate` (*easycore.common.parallel.UnorderedRunner*  
attribute), 18

`is_activate` (*easycore.torch.parallel.BaseRunner*  
attribute), 29

`is_activate` (*easycore.torch.parallel.OrderedRunner*  
attribute), 33

`is_activate` (*easycore.torch.parallel.UnorderedRunner*  
attribute), 31

`is_frozen()` (*easycore.common.config.CfgNode*  
method), 13

`is_registered()`  
(*easycore.common.registry.Registry*  
method), 20

`isdir()` (*easycore.common.path.HTTPURLHandler*  
method), 26

`isdir()` (*easycore.common.path.NativePathHandler*  
method), 25

`isdir()` (*easycore.common.path.PathHandler*  
method), 24

`isdir()` (*easycore.common.path.PathManager*  
static method), 22

`isdir()` (*easycore.common.path.RedirectPathHandler*  
method), 28

`isfile()` (*easycore.common.path.HTTPURLHandler*  
method), 27

`isfile()` (*easycore.common.path.NativePathHandler*  
method), 25

`isfile()` (*easycore.common.path.PathHandler*  
method), 23

`isfile()` (*easycore.common.path.PathManager*  
static method), 22

`isfile()` (*easycore.common.path.RedirectPathHandler*  
method), 28

## L

`listdir()` (*easycore.common.path.HTTPURLHandler*  
method), 27

`listdir()` (*easycore.common.path.NativePathHandler*  
method), 25

`listdir()` (*easycore.common.path.PathHandler*  
method), 24

`listdir()` (*easycore.common.path.PathManager*  
static method), 22

`listdir()` (*easycore.common.path.RedirectPathHandler*  
method), 28

`load()` (*easycore.common.config.CfgNode*  
class method), 14

## M

`makedirs()` (*easycore.common.path.HTTPURLHandler*  
method), 27

`makedirs()` (*easycore.common.path.NativePathHandler*  
method), 25

`makedirs()` (*easycore.common.path.PathHandler*  
method), 24

`makedirs()` (*easycore.common.path.PathManager*  
static method), 23

`makedirs()` (*easycore.common.path.RedirectPathHandler*  
method), 28

`merge()` (*easycore.common.config.CfgNode*  
method), 13

## N

`NativePathHandler` (class in *easycore.common.path*), 24

## O

`open()` (*easycore.common.config.CfgNode*  
class method), 14

`open()` (*easycore.common.config.HierarchicalCfgNode*  
class method), 15

`open()` (*easycore.common.path.HTTPURLHandler* *method*), 26  
`open()` (*easycore.common.path.NativePathHandler* *method*), 24  
`open()` (*easycore.common.path.PathHandler* *method*), 23  
`open()` (*easycore.common.path.PathManager* *static method*), 21  
`open()` (*easycore.common.path.RedirectPathHandler* *method*), 27  
`OrderedRunner` (*class in easycore.common.parallel*), 18  
`OrderedRunner` (*class in easycore.torch.parallel*), 32

## P

`PathHandler` (*class in easycore.common.path*), 23  
`PathManager` (*class in easycore.common.path*), 21  
`producer_end()` (*easycore.common.parallel.BaseRunner* *static method*), 16  
`producer_end()` (*easycore.common.parallel.OrderedRunner* *static method*), 19  
`producer_end()` (*easycore.common.parallel.UnorderedRunner* *static method*), 18  
`producer_end()` (*easycore.torch.parallel.BaseRunner* *static method*), 30  
`producer_end()` (*easycore.torch.parallel.OrderedRunner* *static method*), 33  
`producer_end()` (*easycore.torch.parallel.UnorderedRunner* *static method*), 31  
`producer_init()` (*easycore.common.parallel.BaseRunner* *static method*), 16  
`producer_init()` (*easycore.common.parallel.OrderedRunner* *static method*), 19  
`producer_init()` (*easycore.common.parallel.UnorderedRunner* *static method*), 18  
`producer_init()` (*easycore.torch.parallel.BaseRunner* *static method*), 29  
`producer_init()` (*easycore.torch.parallel.OrderedRunner* *static method*), 33  
`producer_init()` (*easycore.torch.parallel.UnorderedRunner* *static method*), 31

`producer_work()` (*easycore.common.parallel.BaseRunner* *static method*), 16  
`producer_work()` (*easycore.common.parallel.OrderedRunner* *static method*), 19  
`producer_work()` (*easycore.common.parallel.UnorderedRunner* *static method*), 18  
`producer_work()` (*easycore.torch.parallel.BaseRunner* *static method*), 30  
`producer_work()` (*easycore.torch.parallel.OrderedRunner* *static method*), 33  
`producer_work()` (*easycore.torch.parallel.UnorderedRunner* *static method*), 32

## R

`redirect()` (*easycore.common.path.RedirectPathHandler* *method*), 27  
`RedirectPathHandler` (*class in easycore.common.path*), 27  
`register()` (*easycore.common.path.PathManager* *static method*), 21  
`register()` (*easycore.common.registry.Registry* *method*), 20  
`registered_names()` (*easycore.common.registry.Registry* *method*), 21  
`Registry` (*class in easycore.common.registry*), 20  
`remove()` (*easycore.common.path.HTTPURLHandler* *method*), 27  
`remove()` (*easycore.common.path.NativePathHandler* *method*), 25  
`remove()` (*easycore.common.path.PathHandler* *method*), 24  
`remove()` (*easycore.common.path.PathManager* *static method*), 23  
`remove()` (*easycore.common.path.RedirectPathHandler* *method*), 28  
`removedirs()` (*easycore.common.path.HTTPURLHandler* *method*), 27  
`removedirs()` (*easycore.common.path.NativePathHandler* *method*), 25  
`removedirs()` (*easycore.common.path.PathHandler* *method*), 24  
`removedirs()` (*easycore.common.path.PathManager* *static method*), 23  
`removedirs()` (*easycore.common.path.RedirectPathHandler*

*method*), 28

## S

`save()` (*easycore.common.config.CfgNode method*), 13

`save()` (*easycore.common.config.HierarchicalCfgNode class method*), 15

## U

`UnorderedRunner` (class in *easycore.common.parallel*), 17

`UnorderedRunner` (class in *easycore.torch.parallel*), 30

`unregister()` (*easycore.common.registry.Registry method*), 20